


**FERRO  $\sqsubset$  SERIE SPECIALE**

UNI 5786 - EU 54




h	b	a	e	r	sezione	peso	momenti di inerzia		moduli di resistenza		raggi di inerzia	
							Jx	Jy	Wx	Wy	ix	iy
mm	mm	mm	mm	mm	cm <sup>2</sup>	kg/m	cm <sup>4</sup>	cm <sup>4</sup>	cm <sup>3</sup>	cm <sup>3</sup>	cm	cm
<b>*25</b>	<b>12</b>	4	4	4	1.68	1.32						
<b>30</b>	<b>15</b>	4	4.5	4.5	2.21	1.74	2.53	0.38	1.69	0.39	1.07	0.42
<b>30</b>	<b>33</b>	5	7	7	5.44	4.27	6.39	5.33	4.26	2.68	1.08	0.99
<b>*35</b>	<b>17</b>	5	5.5	5.5	3.27	2.56						
<b>40</b>	<b>20</b>	5	5.5	5	3.66	2.87	7.58	1.14	3.79	0.86	1.44	0.56
<b>40</b>	<b>35</b>	5	7	7	6.21	4.87	14.10	6.68	7.05	3.08	1.50	1.04
<b>50</b>	<b>25</b>	5	6	6	4.92	3.86	16.80	2.49	6.73	1.48	1.85	0.71
<b>50</b>	<b>38</b>	5	7	7	7.12	5.59	26.40	9.12	10.60	3.75	1.92	1.13
<b>60</b>	<b>30</b>	6	6	6	6.46	5.07	31.60	4.51	10.50	2.16	2.21	0.84
<b>65</b>	<b>42</b>	5.5	7.5	7.5	9.03	7.09	57.50	14.10	10.70	5.03	2.52	1.25

\* non unificato

**FERRO  $\sqsubset$  SERIE NORMALE**

UNI 5680 - 73 / UNI 7210 - 73



h	b	a	e	r	sezione	peso	momenti di inerzia		moduli di resistenza		raggi di inerzia	
							Jx	Jy	Wx	Wy	ix	iy
mm	mm	mm	mm	mm	cm <sup>2</sup>	kg/m	cm <sup>4</sup>	cm <sup>4</sup>	cm <sup>3</sup>	cm <sup>3</sup>	cm	cm
<b>80</b>	45	6	8	8	11.0	<b>8.65</b>	106	19.4	26.5	6.35	3.10	1.33
<b>100</b>	50	6	8.5	8.5	13.5	<b>10.6</b>	205	29.1	41.1	8.45	3.91	1.47
<b>120</b>	55	7	9	9	17.0	<b>13.3</b>	364	43.1	60.7	11.1	4.63	1.59
<b>140</b>	60	7	10	10	20.4	<b>16.0</b>	605	62.5	86.4	14.7	5.45	1.75
<b>160</b>	65	7.5	10.5	10.5	24.0	<b>18.9</b>	925	85.1	116	18.2	6.21	1.88
<b>180</b>	70	8	11	11	28.0	<b>22.0</b>	1354	114	150	22.4	6.96	2.01
<b>200</b>	75	8.5	11.5	11.5	32.2	<b>25.3</b>	1911	148	191	26.9	7.71	2.14
<b>220</b>	80	9	12.5	12.5	37.4	<b>29.4</b>	2691	196	245	33.5	8.48	2.29
<b>240</b>	85	9.5	13	13	42.3	<b>33.2</b>	3599	247	300	39.5	9.22	2.42
<b>260</b>	90	10	14	14	48.3	<b>37.9</b>	4824	317	371	47.8	10.0	2.56
<b>280</b>	95	10	15	15	53.4	<b>41.9</b>	6276	398	448	57.2	10.8	2.73
<b>300</b>	100	10	16	16	58.8	<b>46.1</b>	8028	493	535	67.6	11.7	2.90